

Afmetingen diverse cirkelzaagmachines

Fabriikaat	Afmetingen zaagblad in mm	Fabriikaat	Afmetingen zaagblad in mm
AEG		Avola	
HK 125	120x20	LH 315, TZV 315, TVZ 315 W	315x30
HK 125 A, HK 125 B, HK 125 H	125x20		
TKS 42, PC 300	132x20	TZH 350, TZH 350 W 350 30	450x30
HK 40, TK 40, TKS 42	140x20	ZB 400, ZBV 400 400 30IC 450,	
HK 86, HK 707	143x19	ZB 450, ZBV 450	
HK 45, HK 717, HK 727	150x19		
		ZB 500, ZBV 500	500x30
AHK 52, HK 45 A, HK 46,	150x20	BWS 550	550x30
HK 46 S, HK 46 N, HKS 46,		KWK 600, RK 600	600x30
HKS 46 S, HKS 46 N, HK 50,		BWS 700, BWTS 700, KWK 700	700x30
HK 52, HKS 52, HK 737			
		Black & Decker	
HK 55, HK 55 A, HK 55 B,	160x20	D 984, D 985, DN 55, DN 56,	125x12,75
HKS 55, HK 160 A, HK 160B,		DN 254, DN 984, DN 985	
KS 55 S, KS 55 SE			
		KC 1440 SK	136x10
HKS 64 A, HK 65, HK 65 A,	190x30		
HKS 65, HKS 65 A, HK 66,		BD 227, BD 228, BD 846,	140x12,75
HKE 66, HKS 66, HKSE 66,		CD 600, DN 227, DN 227 H,	
HK 190, K 66, K 66 E, K 66		KS 40, KS 227, KS 840, KS 846,	
S, K 66 SE, KS 65, KS 66 S		P 3501	
HK 200	200x25	P 88-09 (Akku, 12 V)	150x20
HK 201	200x30		
HK 75, HK 75 A, HKS 75	210x30	BD 228, BD 228 CK, BD 228 L,	156x12,75
HKS 35, HKS 85	230x30	DN 57, DN 228, SR 352,	
HK 240	240x30	SR 352 E, P 3601	
MK 65	280x30		
		BD 855, GKS 54 CE, KS 55,	160x16
Alko		KS 855, KS 855 N, M 336, M	
Basic 205 GK	205x18	975, M 976, U 336, U 975, U 976	
Pro 250 GK	250x20		
Basic, HS 3, HS 4, Hobby,	315x30	BD 229, BD 865, BD 865 E,	180x16
Holzmeister H, Holzmeister		DN 59, DN 229, DN 820, GD 60,	
S, Holzmeister NHS, Pro-X		HD 100, HD 1000, HD 1200 P,	
		HD 2062, KS 65 K, KS 865, KS	
W 450, W 500	450x30	865 E, KS 865 KN, SEC 718, SR	
W 50 Profi, W 450, W 500	500x30	300, SR 362 E, P 37-03, P 37-05	
RM 60, W 60	600x30		
RM 70, RZ 70, TWM 70,	700x30	HD 1200	180x20
TWZ 700, W 70		BD 365	190x30
		M 338, U 338	200x16
Alpha-Tools		BD 88, BD 800, DN 800,	210x30
KS 250	205x18	DN 810, HD 2075 S HD 20755,	
		KS 800, KS 805, KS 810,	
Atika		KS 810 A, P 38-02, PS 174,	
Toptronic	250x30	SEC 818, SR 700	
ATK 315 H, BTA 90, HAT 315	315x30		
ABH 400, ABK 400, BTH 400,	400x30		
BTK 400			
ABH 450, ABK 450, ATU 450,	450x30		
BTH 450, BTK 450, BTU 450,			
BWK 450			
ABH 500, ABK 500, BTH 500,	500x30		
BTK 500, BTU 500, BWK 500			

Afmetingen diverse cirkelzaagmachines

Fabrikaat	Afmetingen zaagblad in mm	Fabrikaat	Afmetingen zaagblad in mm
Bosch		Dewalt (vervolg)	
GUF 4-22 A, PSF 22 (Schatten- fugensäge)	105x20	DW 709, DW 711	260x30
PKS 38, PKS 40, PKS 40 S, S 43 1551, 1559	130x16 140x20	DW 721, DW 722 K, DW 725 K, DW 726 K, DW 810, DW1370, DW 1935/31L, 142 DS, 160 DS, 1635, 1875, 2155	300x30
GKS 12 V, GKS 46, PKS 46, PKS 416, PKS 48, S 1, S 33	150x16		
GKS 24 V, GKS 54, GKS 54 C, GKS 54 CE, GKS 54 E, GKS 59, KS 550, PKS 54, PKS 54 CE	160x16	MC 20	300x32
		DW 704, DW 705, DW 706, DW 708, D 27105	305x30 350x30
1552, 1556, 1563, GKS 55	170x30	DW 728 K, DW 729 K, 1600 S, C 14	
0550, 1550, 1553, 1557, 1560	180x30		
P 300, PKS 65	190x16	C 14, 1600 S, 1635 GL, 2155 G	400x30
0051, 1553, 1564, GKS 65, GKS 66, GKS 66 CE, GKS 68 B, GKS 68 BC, GKS 68 CE, P 30, PKS 66, PKS 66 CE	190x30	6 K, 6 L, DA 1635	500x30
0551, 1561	200x30	Einhell	
1554, 1558, 1565, 1588, GKS 72 S	210x30	BT-CS 1200, HES 55, HES 160	160x20
GCM 8 S	216x30	RT-CS 165	165x16
0052, 0552, 1562, 1566, 1662, GKS 85 S	230x30	BHS 1300	184x16
		BT-CS 1400	190x20
1555	240x30	RT-CS 190 L	190x30
GCM 10, GCM 10 S, GCM 10 SD, GTS 10	250x30 250x30	BT-TS 800	200x16
GCM 12, GCM 12 S	305x30	HES 200	200x30
Casais		RT-TS 920	205x16
SC 650	150x20	RT-FF 1220 U	205x30
VSC 65	200x30	BT-MS 210, BT-SM 2050, KGST 210, RT-SM 305 L, RT-TS 1221	210x30
HKS 2000	210x30		
SC 320	230x30	KGT 500	250x20
		BT-MS 250 L, BT-SM 3100, BT-TS 1500 U, KGS 250, KGS 300 UG, KGS 301, KGS 330, KGT 500, KGT 550, KGTN 245, KGTN 250, RT-SM 430 U, RT-TS 1725 U, RT-TS 1825 U, RT-UD 1825, RT-UD 1825, RT-XM 305 U	250x30
Dewalt		RT-SM 330 U	305x30
DW 935 K, DW 936 K	136x10	RT-CC 315 U, RT-TS 2031 U, RT-TS 2231 DU	215x30
DW 351	150x20		
DW 007 K, DW 007 KH	165x10	BT-LC 400/1	400x30
DC 390 KA, DC 390 KA/3, DC 390 KB	165x20	BT-LC 500	450x30
		BT-LC 700 D	700x30
DW 62	184x16		
DW 365	190x30		
DW 700, DW 701, DW 707	216x30		
DW 383	235x30		
DW 86	240x30		
DW 100, DW 110, DW 111	250x16		
DW 120, DW 125, DW 150, DW 170, DW 250, DW 252, DW 320, DW 702, DW 703, DW 710, DW 742, DW 743, DW 744, DW 720 K, DW 746 K, DW 1251, DW 1370, DW 1501, DW 1503	250x30		

Afmetingen diverse cirkelzaagmachines

Fabrikaat	Afmetingen zaagblad in mm	Fabrikaat	Afmetingen zaagblad in mm
Elektra Beckum		Elu/DeWalt (vervolg)	
Multi 180	200x30	ETS 21, ETS 23, ETS 31, ETS 33, KSU 101, RAS 1251, RAS 1253, RKS 1251, RKS 1253, TGS 71, TGS 170, TGS 171, TGS 172, TGS 173, TGS 271, TGS 273	250x30
KS 205	205x18		
KS 210, GKS 255, P200, PK 200, PK 220, UK 220 W, UK 220 E	210x30		
Secanta	220x30	EMTS 711	260x30
PK 250, PK 255, KGT 500, KGS 300, KGT 550, UK 330, KS 250	250x20	ETS 3001, ETS 3003, PS 374	300x30
KGS 250, KGS 250 K, KGS 300, KGS 301, KGS 303, KGS 330, KGS 331, KGT 250, KGT 500, KGT 501, KGT 550, KS 250, KS 304, Multi 260, Multi 310, PK 250, PK 255, PK 2800, PK 3100, PK 4200, PK 6000, PKF 255, UK250, UK 330	250x30	EMS 705, PS 374	305x30
PK 300, PK 300 K, PKV 300 G	300x30	RKS 1603	350x30
KS 304	304x30	MTS 24	355x25,4
1800, 2200, 2800, 3100, 4100, Combi und Standard HS 315, Combi HSG, TKHS 315, TK HS 315 E	315x30	RSA 133/25	500x30
TK 350	350x30	Elumatec	
BKH 400, BKS 400, BKS 450, BS 3100 W, BS 4200, BS 5500 W	400x30	KS 101, MGS 460	254x32
BKH 450, BKS 450, BS 6000 D, BS 8000 D	450x30	DG 163, RS 160, TS 161	280x32
BKH 450, BS 6000 D, BS 8000 D	500x30	KS 101, MGS 460	300x32
BW 400, BW 600, BW 700	600x30	MGS 72/04, MGS 73/23	330x32
BW 700, BW 750, BW 4000	700x30	DG 79/03-05, DG 79/50, SA 73/25	330x32
Elu/DeWalt		DG 79/30-32, DG 79/51, MGS 72/30, MGS 73/33, SA 73/35	380x32
MKK 26	86x12	DG 102, DG 104, DG 140, MGS 105, MGS 461, SA 103/25	420x30
MH 25, MH 25 K	100x12	DG 142, MGS 142, SA 142	500x30
DS 140 Doublo Schatten-fugensäge	105x22	DG 204, DG 240, MGS 205	550x30
MHA 14 KA, MHA 18 KA	136x10	Emco	
MH 151, MH 151/10, MHA 151	150x20	Universal	200x15
MH 18, MH 30, MH 82, MH 182, PS 174	150x30	Rex 2000, Super 1011	250x20
MH 55, MH 155	170x30	KS 80, MK 81	250x30
MH 65	180x30	Eumenia	
MH 165, MH 265	190x30	ML 50 L	220x30
MH 30, MH 82, MH 182	215x30	Fein	
ETS 41, PS 174, PS 274, PS 244 E	216x30	SSK 646, SSL 646	150x20
MH 85, MH 286	240x30	SSK 660	160x20
		SSK 661	210x30
		Felder	
		KF 700	250x30
		BF 6-26, BF 6-31, BF 6-41, BF 31, K 37, KFS 37	315x30
		Felisatti	
		TP 751	150x20
		TP 756	160x20
		TP 765	190x20
		TP 781	230x30
		T 84, T 85, T 87, T 770, T 771, T 777, T 777 B, T 777 CE, T 778, T 867 GS	250x20

Afmetingen diverse cirkelzaagmachines

Fabriikaat	Afmetingen zaagblad in mm	Fabriikaat	Afmetingen zaagblad in mm
Felisatti (vervolg)		Fezer	
M 74, M 75, M 76, M 77, T 84, T 85, T 87, T 88	250x30	KG 20	200x18
		KG 205	205x18
		KG 25	250x32
T 82, T 83, T 91, T 91 CE, T 97 CE	300x30	KG 30	300x32
		KG 40 S	400x32
		AB 600	600x32
Ferm		Flott/Flottjet/Kräku	
FZT 250, FZT 250 EN	250x30	1000, 2000, Profi 3000	250x20
		KS 1011, TKS 2011 D,	250x30
Festool		TKS 2011 W, KS 2011 D,	
AUF 35-S3, AUF 35-S4	105x20	KS 2011 W, KS 2012, 3011,	
AUF 35-S2	120x20	Profi 2000, Profi 2001,	
AF 45 E, AXF 45	150x30	Profi 3011, Uni-Profi 2011	
AP 55, AP 55 E, AP 55 E-FS,	160x20		
AP 55 FS, ATF 55, ATF 55 E,		FKS 3000, KKS 305 M	315x30
ATF 55 EB, ATF 55 E-FS, ATF			
55 FS, AP 55 EB, TS 55, TS 55		Graule	
EQ, TS 55 EBQ, TS 55 Q		AKF F, AKF 4/200	200x40
		AKF 2, AKF 4/250, AKF 6/250,	250x40
AAU, AU 50, AUP 50	160x30	KS, TS	
AM 42 A, AM 42 S, AM 42 T,	170x33		
AMT 42 S, AT 55 B, AT 55 C,		85 N, AGL, AGT, AKF 6/300,	300x40
AT 55 E, ATU 42-S, AU 42 S,		Typ 85, ZS 85	
AUT 42 S, AXT 50 LA, AXT 55			
		Typ 135, ZS 135, ZS 135 N	350x40
AU 55 S, AU 60 P, AU 60 S, A	180x30	Typ 170, ZS 170, ZS 170 N	420x40
UP 60 S, AUT 60 S		ZS 200	520x50
		Güde	
AP 65, AP 65 E, AP 65 E-FS,	190x30	GTK 721	205x18
AP 65 EB, AP 65 EB-FS, AT 65,		GTK 800	205x20
AT 65 E, AT 65 E-FS, AT 65 EB,		GKS 1100 P, GRK 210/300,	210x30
AT 65 EB-FS		GUKS 2100, KT 210	
AD 65, AP 68 E, AP 65 S,	200x30	GFO 1401	216x30
AU 65 S, AUP 65 S, AUT 65 S,		GKS 250 L, GKS 250 T, GRK	250x20
AXP 65, AXP 200		250/300, GRK 250/500	
TS 75, TS 75 EBQ, TS 75	210x30	TK 2500 UG, GFO 1801	254x20
EBQ-FS, TS 75 EQ		TK 2400 ECO	254x30
		GTKS 315	315x30
		GWS 400 Eco	400x30
Symmetric SYM 70	216x30	GWS 450 Eco	450x30
AU 77 S	220x30	FP 600 Plus, GWS 600 EC,	600x30
CS 70, CS 70 EB	225x30	GWS 600 HM, QWS 600	
AU 80 S	230x30		
AP 85, AP 85 E, AP 85 E-FS,	240x30	DTW 700, DWS 700, DWS 7	700x30
AP 85 E-TS, AP 85 EB, AP 88,		00 Z, FP 700 Plus, GWS 700,	
AP 88 E, AXP 85		GWS 700 HM, GWS 700 EC,	
		PRS 700/7 HMF, PTW 700/7	
		HMF, PWS 700/7 HMF	
AD 85, AD 100, AE 85, AE 88	250x30		
Kapex KS 88, Kapex KS 120	260x30		
AXP 130, AXP 132 E, BD 125	350x30		
BD 145, BD 145/1	400x30		
BD 170	450x30		
		Haager	
		HTK 200	200x30
		HKGS 250, HMS 10 RA	250x20
		GKS 250 HR, HBTS 10 A	250x30
		HTK 300	300x30

Afmetingen diverse cirkelzaagmachines

Fabriikaat	Afmetingen zaagblad in mm	Fabriikaat	Afmetingen zaagblad in mm
Haffner		Hilti	
RF 60	100x20	WSC 55	160x20
KSU 40	120x20	WSC 85	230x30
KSU 105, KSU 125	125x20		
KSU 50	160x20	Hercules	
KSU 110	170x30	KG 205	205x16
KSU 60, KSU 113	180x20	TKS 250 UV	250x16
KSU 60 alt	200x30	BK 315/1	315x30
GL 136	200x20		
AKS	210x30	Hitachi	
AS 75, KS 75, RS 75	220x30	C 5 Y	125x20
140, KL 177, KL 178, KSU 118	220x30	C 5, FC 5, FC 5 SA	150x20
HSU 85, KL 176, KS 85, KSU 85,	250x30	C 6, C 6 DA, C 60 A, FC 65 A,	160x20
SP 187, US 85		FC 6 SA	
		C 6 BU, C 6 U, C 6 DD-Akku,	165x30
AKS, GS 1, GS 2W, GS 2 D,	250x30	FC 6 SB	
GS 150, GS 163, GS 165, GS			
166, KL 140, SP 189, SP 195,		C 6 SA, PSU 6	170x30
SP 196, SP 197, SP 198, TGS		C 7 U, C 7 BU, FC 7 SA, PSM 7,	190x30
161, TGS 162, TGS 163, TGS 198		PSM 7 A, PSU 7	
		C 8 U, C 8 FA, PSM 8, PSU 8	210x30
MK 251 B	300x32	C 8 FC, C 8 FS	216x30
950, GS 146, GS 147, GS 148,	330x30	C 9 U	235x30
GS 155, GS 156, GS 157, GS		PSM 9, PSM 9 A, PSU 9	240x30
158, GS 165, GS 166, GS 183,GS		U 210	250x30
183 M, KS 120, KS 155, SP 221,		C 10 FB, C 10 FCA, C 10 FCS,	255x30
SP 223, SP 224, TGS 168, TGS		C 10 RA	
169, TGS 200, TK 42, US 151			
		C 13 U, PSU 13	335x30
DGS 180, DGS 182, GSM 180,	350x30	C 15 FC	380x30
GSA 180			
		Holz-Her (Reich)	
GS 159, GS 160	340x30	Derby 2110, Mosquito 2111,	132x30
MK 350 Vario	400x32	Mosquito 2171	
DGS 123, DGS 124, DGS 180,	500x30		
DGS 181, DGS 182, DGS 184,		2260, 2270	140x30
DGS 184 E, DGS 188, DGS 185,		2103, 2104, 2105, 2106, 2107,	160x30
DGS 184 E, DGS 188, DGS 185,		2108, HKU 50	
GS 183, GS 184, GS 188 M, GS			
188 P, GSA 184 E, KS 155, ZS		1563, 2115, 2266, 2271, 2281	170x30
640, ZS 800		2112, 2272, 2291, HKU 55	180x30
		2114, 2116, 2117, 2119, 2126,	190x30
DGS 187, DGS 202, GS 161,	600x30	2127, 2269, 2282	
GS 162, US 161			
		2113, 2292, 2555, HK 201	200x30
US 162	30	2267, 2284, PKS 267	210x30
		Leistensäge 2141	216x30
Hanning		2267, 2274, 2279, 2284, HKU	220x30
TK 20 N, TK 20 S, TK 200,	200x16	75, PKS	
TK 300, ZK 205			
		2118, 2120, 2171, 2279, 2293,	230x30
HKS 250	250x16	2294	
3 VS, HTK 315/1.6, HTK	315x30		
315/2.1, HTK 315/3.0, HTK			
315/3 SV, HTK 315/4.0			
		2128, 2268, HKD 65	240x30
Hanseatic		HKD 85, HKD 275, HKD 1212,	300x30
PSC 160 D	160x20	PKS 1210, PKS 1211	
		PKS 1213, PKS 1225, PKS 1230	303

Afmetingen diverse cirkelzaagmachines

Fabriikaat	Afmetingen zaagblad in mm	Fabriikaat	Afmetingen zaagblad in mm
Holz-Her (Reich) - (vervolg)		Maffel (vervolg)	
HKS 130, HKS 150, HKS 276	350x30	Biber, FS 85	325x30
HKS 2136	380x30	MKS 130 EC	330x30
HKS 155, HKS 277, HKS B 7 K, BTK 155	400x30	MKS 125, MKS 125 E	355x30
		MKS 145, MKS 145 EC	370x30
		BK 3, BKS 4, FS 130, FS 130 S, TD 3, VKS 1	400x30
Jepson			
8219	192x20	MKS 165, MKS 165 EC, FS 130K	410x30
9211 D	255x25,4	TDH 4, TDH 425	425x30
9312 E, 9430	305x25,4	BK 4, BKV 4, BKS 5, FSG 165, MKS 185 EC, TDH 5, TDH 450	450x30
9314, 9435	355x25,4		
Kity			
626	150x20	BKV 5, BKS 6, TDH 5-170	500x30
510, 616, 617, 2617	180x15	FSG 200	550x30
0419, 7419, 0618, Kombi 2000, Kombi 5023, Junior 6	200x30	FSG 240 K	640x30
618	250x30		
1609, 1619, 5619, 6619, 9619	270x30	Makita	
819	315x30	4341 S, BTK 0, KS 0852 S, 61+2, 52 S	150x20
		5600 NB, 5600 RDW	160x20
Kress		167, 0846 S, 0946 S, 5600 BR, 5603 R, 5604 R, TK 1256, KS 1155, KST 1157 S, KSTE 1357 S-Signal, SBTK 1, SR 1600	165x20
CHKS 6050, CHKS 6055	160x20		
CHKS 6060, 1400 HKS, 1500 KS, 1800 KSE	190x20		
Maffel		5500 S, 5800 B, 5801 B, 6317 S	180x20
A 35, FS 35, KSS 300, KSP 40	120x20	5800 BR, SR 1800	185x20
SF 32, X 40, XE 40	125x20	4346 S, KS 65, KS 1266 S, KS 1468, KS 4345 S, KSE 1668, TK 5348	190x20
A 55, B 55, FU 50, KSP 55, KSP 55 F, KSS 330, KSS 400, KST 55, MKS 55, MS 55, MT 55, PS 52, PSS 3000, PS 3100, X 55, XE 55	160x20		
		5703 R, 5705 R, 5017 RKB	190x30
KS 320	160x30	Radial-Eudora 5700	200x25
Erika 55	180x30	LS 0810, SR 2100	210x25
Erika 60, KSP 65, KSP 65 F, MS 65, MKS 65	190x30	KGS E 1670 S, KSE 1678 S	210x30
		6322 S	220x30
		SR 2300, SR 5900 B, SR 5900 BR	235x25
B 65, X 72	200x30		
AS 65, FUS 65	210x20	5903 R	235x30
MS 75, MKS 75	210x20	KS 1785, KS 6323 S	240x30
Erika 70 E, MKS 85	225x20	LS 1013, LS 1014	260x25
KSP 85, KSP 85 FC	230x30	SR 2600	266x25
B 82	240x30	5103 R, SR 2600	270x30
Erika 85, MS 85, MKS 85, MKS 85 S	250x30	5100 BR	335x25
		5143 R	355x30
A 85, Erika 65, FS 65, FU 585, FUS 85	280x30		
Erika 70 L, Erika 70 K	290x20		
Biberex, MKS 105, Monika, TFK 85 L, TKF 85 K	315x30		

Afmetingen diverse cirkelzaagmachines

Fabrikaat	Afmetingen zaagblad in mm	Fabrikaat	Afmetingen zaagblad in mm
Metabo		Scheer	
F 0520	100x22	HM 5, HM 6	100x22
4340 S, BHK 2, BHK 3	140x13	MS 50	150x16
4345 S 140 20		MS 45, MS 45 E	150x20
		FM	160x16
4341 S, BTK 0, 61 + 2, KS 52, KS 0846 S, KS 0852 S	150x20	MS 55	160x20
		FM	180x16
BTK 1, KS 1155 S, Magnum TK 1256	165x20	MS 65, MKS 65	190x30
		MS 70	200x30
6317 S	180x20	MS 80	220x30
KS 655, KS 1266, KS 1468 S, KS 4345 S, KS 4346 S, KS5348, KSE 1668, Robert	190x20	MS 85	230x30
		FM 10, A 3100, A 4200	240x30
KGSE 1670, KSE 1678 S-Signal, Magnum TK 1066, TKU 225	210x30	Scheppach	
		KG 205	205x18
6322 S	220x30	TS 2000	200x30
KS 1785 S, KS 6323 S	240x30	Capas 1, Capas 2	216x30
TK 1633, TKU 1633, TKU 1693	250x30	KG 250, TKG 250, TS 2500	250x20
TK 1688, TK 1688 D	315x30	KSE 250, TS 2500, KG 260, TKG 260, KG 280, TKG 280	250x30
Panasonic		Capas 3, TKG 305 E	305x30
EY 3501	110x20	TS 315 GT, TS 400, TS 4010, TKU	315x30
EY 3530	135x20	BSH 400	400x30
Perles		BSH 500	500x30
25 S	100x12	Skil	
SC 47 C	140x20	22501 B	125
KS 50, Peugeot, SC 53 C	150x20	5140 A, 5140 B, 5240	130
FIP 50 S	180x20	532	140
KS 85	230x30	533, 553	150
		5246	150
		1800 H, 1850 H	150
		416 H, 534, 536, 552 B, 1408 H, 1409 H, 1410 H, 1440 H, 5750 A	160
Protool		77 U, 537 U, 553 B, 553 H, 559 U, 574 U, 599 U, 857	184
CSP 55-2, CSP 56 EQ, CSP 56 Q, CSP 68	160x20	1865, 1866, 5266, 5565, 5566, 5666, 5866 A	190
CSP 68 E	190x30	1899, 1965 U, 1986	190
CSP 85	240x30	554 B, 554 H, 825, 858	210
Robland		1524 H, 1873 H	210
K 210 - 260	240x30	555 H	230
X 260	250x30	1525 H, 1886 H, 1985 U	230
K 310, X 310	300x30	1523 H, 1526 H, 1899 H	260
Rockwell			
346, 63416	170x16		
315, 4500, 63417	184x16		
368, 63418	220x20		

Afmetingen diverse cirkelzaagmachines

Fabrikaat	Afmetingen zaagblad in mm
-----------	------------------------------

Stayer

CP 50	150x20
KS 700, SC 205, TKS 2000	205x18
SC 250, SC 251, SCU 75	250x20
SC 260, SCE 1610, SLL 250	250x30
TD 305	305x25,4

TIP

HKS 160	160x20
HKS 200	200x16
TKS 250	250x15,8
TGS 250	250x25,4

Ulmia

1409 B	160x20
1706, 1708	200x16
1710 S, 1710 R	250x15,8
Gecombineerde machines	300x25,4

Wegoma

TB 204	105x22
HS 50	150x20
TS 250	250x30
S 4 D, S 4 W	350x30
TS 400	400x30